



Do Not scale



Platform height: 1240mm
Platform width: 1010mm
Platform Length: 2 x 6096mm
Stair inclination 36 deg
Overall height: 2315mm
Safety rail height 1100mm


Load Angel[®]
Fall Prevention Systems
Manufactured by **Grantham Fabrications Ltd**
www.loadangel.co

Eden Industries
Load Safe
40ft Single access
platform with
end gate

Drawn:	GCW
Date:	22nd January 2013
Venture Way, Grantham, Lincs. NG31 7XS Tel: +44(0) 1476 577 037 Fax: +44(0) 1476 576 967 www.granthamfabrications.ltd.uk	


Platforms are manufactured within the guidelines stated for Stairs/Ladders/Walkways BS6395-1:2000
Open steel flooring to BS 4592 part 1 (1995)
The drawing shown is a "sales drawing" indicating the elements requested by the customer it may not exactly represent the finished engineering build drawing and therefore the finished product may differ slightly.
This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd.

Do Not scale



Inner stair safety rail to prevent access to suzi area


Gap shown to give definition to the two walkways
/ normally closed and locked in working conditions




Fully oscillating braked castors

Light but robust all steel frame

Durbar pattern pressed steel steps



- Open steel flooring



Anti-luce fastening system

Rear of side walkway

Details of end section

Working Height 1240mm
Length of Working Platform 6858mm x 2 (45Ft)
Width of Working Platform 1000mm

Platforms are manufactured within the guidelines stated for Stairs/Ladders/Walkways BS5395-1:2000

Open steel flooring to BS 4592 part 1 (1995)

Note 1:

The drawing shown is a "sales drawing" indicating the elements requested by the customer it may not exactly represent the finished engineering build drawing and therefore the finished product may differ slightly.

Note II:

This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd. "Load Angel" is a registered trademark

Load Angel[®]
Fall Prevention Systems
 Manufactured by Grantham Fabrications Ltd
www.loadangel.co

Option 1
45Ft Load Angel
with full height inner
stair safety rail

Drawn:	GCW
Date:	02.11.11

Venture Way, Grantham, Lincs. NG31 7XS
Tel: +44(0) 1476 577 037
Fax: +44(0) 1476 576 967
www.granthamfabrications.ltd.uk

DO NOT SCALE

LOAD ANGEL

End Bars

Ant-luce lock and bolt
walkway connection system

160 dia braked castors

End gates and end bars creating
a fully enclosed deck with safety rails

Durbar pattern
pressed steel steps

Open steel flooring

Note I:
The drawing shown is a "sales drawing"
indicating the elements requested by the customer
it may not exactly represent the finished engineering
build drawing and therefore the finished product
may differ slightly.

Note II:
This document and any design, development, invention
or copyright which it may embody or represent are the
property of Grantham Fabrications Ltd. This document
may not be reproduced nor any subject matter shown
herein be manufactured without written permission from
an authorized agent of Grantham Fabrications Ltd.
"Load Angel" is a registered trademark


Platforms are manufactured within the
guidelines stated for Stairs/Ladders/Walkways
BS5395-1:2000
Open steel flooring to BS 4592 part 1 (1995)

Grantham Fabrications Ltd

Option 2
Load Safe®
with fully enclosed 45ft
platforms and end gates

Drawn:	G/CW
Date:	8th October 2010
1 Venture Way, Grantham, Lincs NG31 7XS	
Tel: +44 (0) 1476 577 037	
Fax: +44 (0) 1476 576 967	
www.granthamfabrications.ltd.uk	

Do Not scale



Positive frame connection
locking system

Note I:

This drawing shown is a "sales drawing" indicating the elements requested by the customer. It may not exactly represent the finished engineering build drawing and therefore the finished product may differ slightly.

Note II:


This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd. "Load Angel" is a registered trademark.

Platforms are manufactured within the guidelines stated for Stairs/Ladders/Walkways BS5395-1:2000

Open steel flooring to BS 4582 part 1 (1995)

Load Angel[®]	
Fall Prevention Systems	
Manufactured by Grantham Fabrications Ltd	
www.loadangel.co	
BBUSL	Drawn: GCW
Load Angel Load Safe	Date: 28.11.11
Two Section Walkway	Venture Way, Grantham, Lincs. NG31 7XS
for	Tel: +44(0) 1476 577 037
KING Lowloader	Fax: +44(0) 1476 576 967
	www.granthamfabrications-ltd.uk

Do Not scale



Base Working Height: 1220mm
Top Platform Working Height: 2500mm

One 6 Mtr section shown

Platforms are manufactured within the guidelines stated for Stairs/Ladders/Walkways BS5395-1:2000

Open steel flooring to BS 4592 part 1 (1995)

Note I:

The drawing shown is a "sales drawing" indicating the elements requested by the customer it may not exactly represent the finished engineering build drawing and therefore the finished product may differ slightly.

Note II:

This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd. "Load Angel" is a registered trademark

Load Angel[®]
Fall Prevention Systems
Manufactured by Grantham Fabrications Ltd
www.loadangel.co


GKN
6Mtr x 2 Load Safe with
top movable platform

Drawn:	GCW
Date:	17th February 2012
Venture Way, Grantham, Lincs. NG31 7XS	
Tel: +44(0) 1476 577 037	
Fax: +44(0) 1476 576 967	
www.granthamfabrications.ltd.uk	



Load Safe® Modules

The following drawings are an indication of the platforms that are available, but the possibilities are endless we can provide any length, any height and for any application what ever you want to suit your needs we can provide.


Just Ask




Standard 12 Meter Platform




Left and Right Hand 6 Meter Platforms
or makes one 12 Meter Platform as above




End enclosure platform




Left and Right Hand 6 Meter Platforms
plus one 3 Meter module makes 15 meter single
side Platform




End Load through
single module with refuge



Left and Right Hand 6 Meter Platforms
plus two 3 Meter module makes 18 meter single
side Platform



3 Meter Module



Lower working deck height: 1440mm from floor
Upper working deck height: 2800mm from floor
Lower platform stair Width: 1500mm
Lower working platform width: 750mm
Upper viewing platform width 750mm
Lower platform length: 6858 (22.5 ft) x 2 (45ft) + Stairs
Upper viewing platform length: 10836mm + stairs (6858mm & 3978mm)
Landing before upper viewing platform: 1000mm
Stair inclination: 36 deg

Platforms are manufactured within the guidelines stated for Stairs/Ladders/Walkways BS5395-1:2000
Open steel flooring to BS 4592 part 1 (1995)

Note I:
The drawing shown is a "sales drawing" indicating the elements requested by the customer it may not exactly represent the finished engineering build drawing and therefore the finished product may differ slightly.

Note II:
This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd.



Load Angel[®]
Fall Prevention Systems
Manufactured by Grantham Fabrications Ltd
www.loadangel.co

Peterson SBS Ltd


45ft Twin Height Access
Load Safe Walkway

Drawn:	GCW
Date:	23.10.12
Venture Way, Grantham, Lincs. NG31 7XS Tel: +44(0) 1476 577 037 Fax: +44(0) 1476 576 967 www.granthamfabrications.ltd.uk	

Do Not scale



Deck height from floor: 1000mm
Deck length: 2500
Deck Width: 1010mm
Safety Rail height: 1100mm
Overall Length: 4562mm (14ft 11inches)
Stair inclination 36 deg



Load Angel®
Fall Prevention Systems
 Manufactured by Grantham Fabrications Ltd
www.loadangel.co

TATA
(Rotherham)

Stores Deliveries
Multi Postion Load Safe

Drawn:	GCW
--------	-----


Date:	08.01.13
--------------	-----------------

Venture Way, Grantham, Lincs. NG31 7XS
Tel: +44(0) 1476 577 037
Fax: +44(0) 1476 576 967
www.granthamfabrications.ltd.uk

Platforms are manufactured within the guidelines stated for Stairs/Ladders/
Walkways BS5395-1:2000. Open steel flooring to BS 4592 part 1 (1995)

This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd.

Do Not scale



Platform working height: 1240mm
Platform width: 1000mm
Platform length: 2 x 6096 (40ft)

Platforms are manufactured within the guidelines stated for Stairs/Ladders/Walkways BS5395-1:2000

Open steel flooring to BS 4592 part 1 (1995)

Note I:

The drawing shown is a "sales drawing" indicating the elements requested by the customer. It may not exactly represent the finished engineering build drawing and therefore the finished product may differ slightly.

Note II:

This document and any design, development, invention or copyright which it may embody or represent are the property of Grantham Fabrications Ltd. This document may not be reproduced nor any subject matter shown herein be manufactured without written permission from an authorized agent of Grantham Fabrications Ltd. "Load Angel" is a registered trademark



Load Angel®
Fall Prevention Systems
Manufactured by Grantham Fabrications Ltd
www.loadangel.co

Option 3
Load Angel Load Safe
45ft Single Side


Drawn:	G CW
Date:	27th April 2012
Venture Way, Grantham, Lincs. NG31 7XS	
Tel: +44(0) 1476 577 037	
Fax: +44(0) 1476 576 967	
www.granthamfabrications.ltd.uk	

PART OF THE LOAD SAFE RANGE



This is a modular system





2 x 6 meter Platforms with end gates open and an optional full width rear platform fully enclosed




2 x 6 meter Platforms with end gates shut and using optional end bars



All these configurations are possible from a standard 40ft platform set, other platform sizes, heights and lengths can be provided to suit customer requirements



Standard Set of 12 Meter Platform (2 x 6 Meter) with end gates open





All These configurations are arranged around 6 meter platforms, other platform sizes can be provided to suit customer requirements


1 x 6 Meter platform with end gate

PART OF THE LOAD SAFE RANGE

This is a modular system



4 x 6 meter standard walkways
making 2 standard 12 meter walkways
either side of a curtainsider or tautliner.



6 meter fully enclosed low height
platform for flatbed trucks and Transit vehicles
showing rear safety bars to prevent falls off the back
of the bed.

